EZ Tube® CONNECT 20FT KIT A (5'X10'5')
















Modular has officially met tube frames! EZ Tube®®®®® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube®®®®® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube®®®®®® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single- or double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

DISPLAY DIMENSIONS	240"W x 90"H x 18.75"D
GRAPHIC SIZE 5FT	60.75"W x 89.5"H
GRAPHIC SIZE 10FT	121"W x 89.5"H
GRAPHIC SIZE MHC	62.375"W x 32.25"H

GRAPHIC MATERIAL

Stretch Fabric

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

	lbs (frames and graphics - case 1) lbs (frames and graphics - case 2)	

Shipping Dimensions 22"W x 39"H x 17"D (each case)

Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid
Freight Weight	408 lbs (frames & graphics)

2 business days after proof approval (up to 2 kits)





Connecting Clip



Double foot connection







Includes qty 1 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D




Top cross bar-10ft straight (qty 1)



Bottom cross bar-10ft (qty 1)



Top cross bar-5ft slope (qty 2)



Bottom cross bar-5ft (qty 2)



3 section 64" pole (qty 6)



Bottom Cross Bar L shape connector (qty 6)



Single Foot (34mm) (qty 2)



Double Foot (34mm) (qty 2)



Center Vertical pole-90" (qty 1)



(qty 2)



Soft Bag 5ft (qty 2)



Soft Bag 10ft (qty 1)



Connecting Clip (qty 4)

EZ Tube® CONNECT 20FT KIT B (8'X4'X8')

PRODUCT CATEGORY: EZ FABRIC DISPLAYS PRODUCT CODE: EZCNCT-20KIT-R-8X4X8
















.9.0 .000 00....00...

Foot Dims 3 1'/8" x 18 3/4"

PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube®®®® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube®®®® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube®®®® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single- or double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

(,		
DISPLAY DIMENSIONS	240"W x 90"H x 18.75"D	
GRAPHIC SIZE 4FT	49"W x 89.5"H	
GRAPHIC SIZE 8FT	96.5"W x 89.5"H	
GRAPHIC SIZE MHC	62.375"W x 32.25"H	

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	57 lbs (frames and graphics - case 1) 48 lbs (frames and graphics - case s)
Shipping Dimensions	22"W x 39"H x 17"D (each case)

ARGE QUANTITY FREIGHT

Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid
Freight Weight	420 lbs (frames & graphics - 4 sets)

CDADHIC TUDNI ADOLIND TIME

2 business days after proof approval (up to 2 kits)




Connecting Clip







Includes qty 1 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D





Connecting Clip (qty 4)

EZ Tube® CONNECT 20FT KIT C (5'X5'X5'X5')

PRODUCT CATEGORY: EZ FABRIC DISPLAYS
PRODUCT CODF: F7CNCT-20KIT-C-5X5X5X5
















Foot Dime

Foot Dims 3 1'/8" x 18 3/4"

PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube®®® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube®®® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube®®® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single- or double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

	DISPLAY DIMENSIONS	240"W x 90"H x 18.75"D
	GRAPHIC SIZE STRAIGHT	60.75"W x 88.5"H
	GRAPHIC SIZE CURVED	60.75"W x 89.5"H
	GRAPHIC SIZE MHC	62.375"W x 32.25"H
- 1		

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	53 lbs (frames & graphics - each case) 2 cases total
Shipping Dimensions	22"W x 39"H x 17"D (each case)

ARGE QUANTITY FREIGHT

Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid
Freight Weight	424 lbs (frames & graphics - 4 sets)

GRAPHIC TURN AROUND TIME

2 business days after proof approval (up to 2 kits)



Connecting Clip








Includes qty 1 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D













Top cross bar-5ft round (qty 2)

3 section 64" pole (qty 4)



Bottom Cross Bar L shape connector (qty 8)



Single Foot (34mm) (qty 2)



Double Foot (34mm) (qty 3)







Soft Bag 5ft (qty 4)



Connecting Clip (qty 6)

EZ Tube® CONNECT 20FT KIT D (5'X5'X5'X5')

PRODUCT CATEGORY: EZ FABRIC DISPLAYS
PRODUCT CODF: F7CNCT-20KIT-D-5X5X5X5













PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube®® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube®® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube®® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single- or double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

DISPLAY DIMENSIONS	240"W x 90"H x 18.75"D
GRAPHIC SIZE 5FT	60.75"W x 89.5"H
GRAPHIC SIZE MHC	62.375"W x 32.25"H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	53 lbs (frames & graphics - each case) 2 cases total
Shipping Dimensions	22"W x 39"H x 17"D (each case)

I ARGE QUANTITY FREIGHT

Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid	
Freight Weight	424 lbs (frames & graphics - 4 sets)	

GRAPHIC TURN AROUND TIME

2 business days after proof approval (up to 2 kits)

AVAILABILITY | Pacific Fulfillment Center





Connecting Clip



Single foot connection

Double foot connection

Foot Dims 3 1'/8" x 18 3/4"









Includes qty 1 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D



Top cross bar-5ft slope (qty 4)



Bottom cross bar-5ft (qty 4)



3 section 64" pole (qty 4)



Bottom Cross Bar L shape connector (qty 8)



Single Foot (34mm) (qty 2)



Double Foot (34mm) (qty 4)



MHC (qty 2)



Soft Bag 5ft (qty 4)



Connecting Clip (qty 6)

EZ Tube® CONNECT 20FT KIT E (8'X4'8')

PRODUCT CODE: EZCNCT-20KIT-E-8X4X8

















Single foot connection

Double foot connection

Foot Dims 3 1'/8" x 18 3/4"

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize singleor double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

1: 1: 7	
DISPLAY DIMENSIONS	240"W x 90"H x 18.75"D
GRAPHIC SIZE 4FT	49"W x 89.5"H
GRAPHIC SIZE 8FT	96.5"W x 89.5"H
GRAPHIC SIZE MHC	62.375"W x 32.25"H

GRAPHIC MATERIAL

Stretch Fabric

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

Shipping Weight	57 lbs (frames and graphics - case 1) 48 lbs (frames and graphics - case 2)

Shipping Dimensions 22"W x 39"H x 17"D (each case)

Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid
Freight Weight	420 lbs (frames & graphics)

2 business days after proof approval (up to 2 kits)




Connecting Clip







Includes qty 1 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D




Top cross bar-8ft straight (qty 2)



Bottom cross bar-8ft (qty 2)



Top cross bar-4ft slope (qty 1)



Bottom cross bar-4ft (qty 1)



3 section 64" pole (qty 6)



Bottom Cross Bar L shape connector (qty 6)



Single Foot (34mm) (qty 2)



Double Foot (34mm) (qty 2)



Center Vertical pole-90" (qty 1)



MHC (qty 2)



Soft Bag 8ft (qty 2)



qty 1)



Connecting Clip (qty 4)

EZ Tube® CONNECT 20FT KIT F (8'X4'8')




















Single foot connection

Double foot connection

Foot Dims 3 1'/8" x 18 3/4"

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize singleor double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

DISPLAY DIMENSIONS	240"W x 90"H x 18.75"D
GRAPHIC SIZE 4FT	49"W x 89.5"H
GRAPHIC SIZE 8FT	96.5"W x 89.5"H
GRAPHIC SIZE MHC	62.375"W x 32.25"H

GRAPHIC MATERIAL

Stretch Fabric

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

Shipping Weight	57 lbs (frames and graphics - case 1)
	48 lbs (frames and graphics - case 2)

Shipping Dimensions 22"W x 39"H x 17"D (each case)

Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid
Freight Weight	420 lbs (frames & graphics)

2 business days after proof approval (up to 2 kits)




Connecting Clip







Includes qty 1 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D




Top cross bar-8ft straight (qty 2)



Bottom cross bar-8ft (qty 2)



Top cross bar-4ft straight (qty 1)



Bottom cross bar-4ft (qty 1)



3 section 64" pole (qty 6)



Bottom Cross Bar L shape connector (qty 6)



Single Foot (34mm) (qty 2)



Double Foot (34mm) (qty 2)



Center Vertical pole-90" (qty 1)



(qty 2)



Soft Bag 8ft (qty 2)



Soft Bag 4ft (qty 1)



Connecting Clip (qty 4)

EZ Tube® CONNECT 20FT KIT G (5'X5'X5'X5')

PRODUCT CATEGORY: EZ FABRIC DISPLAYS

PRODUCT CODE: F7CNCT-20KIT-G-5X5X5X5




















Single foot connection

Double foot connection

Foot Dims 3 1'/8" x 18 3/4"

PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect lets you choose from straight, round or slant top shapes, 90° or 96° frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single-or double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

DISPLAY DIMENSIONS	240"W x 90"H x 18.75"D
GRAPHIC SIZE	60.75"W x 88.5"H
GRAPHIC SIZE MHC	62.375"W x 32.25"H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

	53 lbs (frames & graphics - each case) 2 cases total
Shipping Dimensions	22"W x 39"H x 17"D (each case)

LARGE QUANTITY FREIGHT

AROL GOARTH FIREIGHT			
Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid		
Freight Weight	424 lbs (frames & graphics - 4 sets)		

GRAPHIC TURN AROUND TIME

2 business days after proof approval (up to 2 kits)



Connecting Clip








Includes qty 1 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D



Top cross bar-5ft straight (qty 4)



Bottom cross bar-5ft (qty 4)



3 section 64" pole (qty 4)



Bottom Cross Bar L shape connector (qty 8)



Connecting Clip (qty 6)



Single Foot (34mm) (qty 2)



Double Foot (34mm) (qty 3)



MHC (qty 2)



Soft Bag 5ft (qty 4)

EZ Tube® CONNECT 20FT KIT H (5'X5'X5'X5')















Single foot connection

Foot Dims 3 1'/8" x 18 3/4"

Double foot connection

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize singleor double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

1 /	
DISPLAY DIMENSIONS	240"W x 90"H x 18.75"D
GRAPHIC SIZE 5FT	60.75"W x 89.5"H
GRAPHIC SIZE MHC	62.375"W x 32.25"H

GRAPHIC MATERIAL

Stretch Fabric

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SL	JIDD	INIC 1	MEIGI	LTC.	e. DI		ISION!	
ЭГ		יטעוו			$\propto DI$	IVIEIN	ISIUIN.	O

Shipping Weight	53 lbs (frames & graphics - each case) 2 cases total
Shipping Dimensions	22"W x 39"H x 17"D (each case)

GE QUANTITY FREIGHT		
Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid	
Freight Weight	424 lbs (frames & graphics - 4 sets)	

2 business days after proof approval (up to 2 kits)



Connecting Clip








Includes qty 1 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D

Connecting Clip

(qty 6)

PARTS LIST



Soft Bag 5ft

(qty 4)

EZ Tube® CONNECT 20FT KIT I (8'X7'X8')
















Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize singleor double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

DISPLAY DIMENSIONS	120"W x 90"H x 18.75"D
GRAPHIC SIZE 8FT	96.5"W x 89.5"H
GRAPHIC SIZE CIRCLE	61" W x 61" H
GRAPHIC SIZE MHC	62.375"W x 32.25"H

GRAPHIC MATERIAL

Stretch Fabric

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

hipping Weight	52 lbs (frames, graphics, MHC) Case 1
	52 lbs (frames, graphics, MHC) Case 2
	40 lbs (frames, graphics, MHC) Case 3

Shipping Dimensions 22"W x 39"H x 17"D Each Case

Freight Shipping	6 boxes per 48"L x 40"W x 43"H skid
Freight Weight	288 lbs (2 sets)

GRAPHIC TURN AROUND TIME

2 business days after proof approval (up to 2 kits)

AVAILABILITY Pacific Fulfillment Center



Single foot connection

Double foot connection

Foot Dims 3 1'/8" x 18 3/4"








Includes qty 1 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D












Bottom cross bar-8ft (qty1)

3 section 64" pole (qty 2)

Center Vertical pole-90" (qty 1)









Bottom Cross Bar L shape connector (qty 2)

Male - Male Curved Tube (qty 2)

Male - Female Curved Tube (qty 5)

Bottom Tubes for Legs (qty 2)









Single Foot (34mm) (qty 2)

Double Foot (34mm) (qty 2)

Soft Bag 8ft (qty 2)

(qty 1)



MHC (qty 3)

EZ Tube® CONNECT 20FT KIT J (4'X7'X4X7'X4')

PRODUCT CATEGORY: EZ FABRIC DISPLAYS

PRODUCT CODE: FZCNCT-20KIT- I-4X7X4X7X4
















PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single-or double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

DISPLAY DIMENSIONS	120"W x 90"H x 18.75"D
GRAPHIC SIZE 4FT	49"W x 89.5"H
GRAPHIC SIZE CIRCLE	84.75" W x 84.75" H
GRAPHIC SIZE MHC	62.375"W x 32.25"H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight 74 lbs (frames, graphics, MHC) Case 1 57 lbs (frames, graphics, MHC) Case 2

Shipping Dimensions | 22"W x 39"H x 17"D (each case)

GRAPHIC TURN AROUND TIME

2 business days after proof approval (up to 2 kits)

AVAILABILITY | Pacific Fulfillment Center



Single foot connection

Double foot connection


Foot Dims 3 1'/8" x 18 3/4"








Includes qty 1 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D






(qty 2)


SETUP INSTRUCTIONS



SETUP INSTRUCTIONS



INSTRUCTIONS



INSTRUCTIONS

