Formulate Backwall: Accent 06



Panel A - (2) prints to make (1) graphic:
Total Graphic Area: 52"w x 107.4"h
Total Finished Area:48"w x 103.4"h

Panel B - (2) prints to make (1) graphic:
Total Graphic Area: 52"w x 96"h
Total Finished Area: 48"w x 92"h

Please be sure to include a 2" bleed around the perimeter. DO NOT design any critical elements (text, logos, etc.) within 2" of the edge (gray area is recommended safe area).

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size,100-120 ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

TOP
PANEL A

BOTTOM
PANEL A

FRONT
PANEL B

BACK
PANEL B

COUNTER
OBSTRUCTION

bleed area
trim line
safe area

Formulate Backwall: Accent 06



Panel A - (2) prints to make (1) graphic:
Total Graphic Area: 52”w x 107.4”h
Total Finished Area:48”w x 103.4”h

Panel B - (2) prints to make (1) graphic:
Total Graphic Area: 52”w x 96”h
Total Finished Area: 48”w x 92”h

Please be sure to include a 2” bleed around the perimeter. DO NOT design any critical elements (text, logos, etc.) within 2” of the edge (gray area is recommended safe area).

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size,100-120 ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

TOP
PANEL A

BOTTOM
PANEL A

FRONT
PANEL B

bleed area
trim line
safe area

BACK
PANEL B

COUNTER
OBSTRUCTION