

20X10FT. LUMIERE CONTINUOUS BACKLIT

LUMIÈRE LIGHT WALL

PRODUCT CODE: LLW8X4BLCON




Shown with standard block out end caps



OPTIONAL

Shown with optional printed end caps



Hardcase Option: LA-CAJA
 This configuration requires qty 2
 (qty 1 frame w/lights + graphics in each case)

PRODUCT DESCRIPTION

Elevate your tradeshow presence with the 20 x 10ft Lumiere with Continuous Graphic Backlit. This sophisticated pop-up display combines cutting-edge design with seamless functionality to create a captivating visual experience. Perfect for any professional setting, the Lumiere is designed to make a lasting impression.

Key Features:

Seamless Display: The 20ft dye sublimated fabric graphic spans across two 10ft frames, ensuring a flawless and continuous look. This design maximizes your visual impact, creating a stunning backdrop that draws attention from every angle.

Backlit Brilliance: Illuminate your message with LED ladder lights. The backlit graphics enhance visibility and create a vibrant, eye-catching display that stands out even in crowded environments.

Versatile Panels: The Lumiere features front, back, and end cap panels as separate components. This modular design allows for easy updates and changes to your messaging, providing flexibility for various events and promotions.

Customization Options: Choose from single-sided graphics with a printed front panel, blackout end caps, and a back panel, or opt for double-sided graphics featuring printed front and back panels with blackout end caps. Upgrade your end cap graphics to printed panels for an even more cohesive look.

Easy Setup and Transport: The Lumiere includes travel bags and all necessary connectors, making assembly and disassembly a breeze. The lightweight frame and convenient carrying options ensure hassle-free transportation to and from events.

Transform your tradeshow exhibit with the Lumiere's stunning visuals and user-friendly design. Whether you're showcasing a new product, promoting your brand, or engaging with potential clients, the 20 x 10ft Lumiere with Continuous Graphic Backlit ensures your message shines brilliantly.

DISPLAY DIMENSION	236.2" W x 117.75" H x 14.5" D
GRAPHIC DIMENSIONS	
FRONT AND BACK	115.5" W x 56.25" H (50% Scale)
END CAPS (OPTIONAL)	14.25" W x 118" H (Each)
GRAPHIC MATERIAL	
DYE-SUB BACKLIT FABRIC	
GRAPHIC FINISHING	
12mm x 3mm silicone beading is sewn around the perimeter of the fabric graphic. Silicone beading is hidden from view once installed.	
DISPLAY CONSTRUCTION	
Aluminum Frame	
SHIPPING WEIGHTS & DIMENSIONS	
Lumiere Ladder Lights - 4 Units (2 Boxes)	
Shipping Weight	29 lbs
Shipping Dimensions	14" L x 12.5" W x 32.5" H
4x3 Lumiere Light Wall (2 boxes total)	
Shipping Weight	35 lbs (frame only) (each box) 39 lbs (with graphics) (each box)
Shipping Dimensions	34" L x 14" W x 9" H (each box)

Please Note: Lumiere Ladder Light sets are placed on the front side of the frame only

20X10FT. LUMIERE CONTINUOUS BACKLIT

LUMIÈRE LIGHT WALL
PRODUCT CODE: LLW8X4BLCON



PARTS LIST



Qty 2 - 4x3 Pop Up Frame



Qty 8 - 4 Section Channel Bars
(SKU: LLW-CB4)



Qty 8 - 3 Section Channel Bars
(SKU: LLW-CB3) (Only qty 4 will be used)



Qty 8 - End Cap Channel Bars
(SKU: LLW-CBEC)




Qty 2 - Frame Carry Bags



Qty 4 - Channel Bar Bags



Qty 10 - 8" Hook/Loop Straps



Qty 24 - Ladder Lights
(SKU: LLW-LED1X1)



Qty 8 - Transformers w/Cord
(SKU: LLW-TRNS)



Qty 8 - Transformer Clips
(SKU: LLW-TRNS-CLIP)



Qty 8 - Ladder Light Travel Bags

LADDER LIGHTS SPECIFICATION	
EACH LIGHT BEAD	1.0W
ANGLE	170°
OPERATING VOLTAGE	DC12V/24V
TOTAL WATTAGE	840W
TOTAL AMPERAGE	36A
TRANSFORMER SPECIFICATION	
OUTPUT	24V/3.75A
INPUT	AC100-240V/1.3A
POWER OUTLETS REQUIRED	8

Please Note: Lumiere Ladder Light sets are placed on the front side of the frame only

20X10FT. LUMIERE CONTINUOUS BACKLIT

LUMIERE LIGHT WALL
PRODUCT CODE: LLW8X4BLCON

SINGLE
SIDED

DOUBLE
SIDED

INDOOR
USE

TOOLLESS
SETUP




SET UP INSTRUCTIONS 1/2


Set Up Pop Up Frame



a. Place frame with the adjustable feet facing down.




b. Expand the frame.




c. Close frame by pushing the outside of the frame until male and female ends connect.


Attach Channel Bars



a. Expand each channel bar. Follow bungee to connect.



b. Attach channel bars to frame.



c. Slide channels bars onto frame, from top to bottom, then secure onto metal peg.



d. Attach the top and bottom end caps on each side of the frame.

Unfold The Hooks



a. Locate each hook.



b. Turn each hook outward.



c. Twist each hook to face the front of the ladder light.

Please Note: Lumiere Ladder Light sets are placed on the front side of the frame only


20X10FT. LUMIERE CONTINUOUS BACKLIT

LUMIÈRE LIGHT WALL
PRODUCT CODE: LLW8X4BLCON



SET UP INSTRUCTIONS 2/2

Hook Ladder Lights




a. Hang ladder lights from top "x" bar. **Note:** Make sure to follow label that says "UP" or "DOWN".




b. Hang ladder lights each section of the frame until reaching the bottom of the frame.

Install Transformer Clip



a. Snap Transformer Clip onto each bottom "x" bar.



b. While pulling the end tab of the clip, place the Transformer on top of the Transformer clip.


Connect Ladder Lights



a. Connect each ladder light together using the barrel connectors.



b. Connect bottom set of lights to the LED Driver using the barrel connectors



c. Insert power cord to the LED Driver. Plug other side into your main power outlet.

Install Graphic

*Install graphics after connecting frames. Frame connection instructions are on next page



a. In each corner, insert the silicone edge beading into the groove.




b. Then insert the remainder of the beading. Repeat blockout installation for the back frame.



c. Then repeat graphic installation on the end caps for each side.

SET UP INSTRUCTIONS

Connecting Frames




Place the (2) 4x4 frames side by side and connect X-rod with supplied zip ties

Notes:

- Connect frames before installing graphics and ladder lights.
- Do not install the vertical channel bars where the frames will connect.

Frame Connection



Since the vertical channel bars will create shadows on the graphics they are not used with 1pc graphics. An alternate method to secure frames without using the Channel Bars + LLW-SCON is using the included velcro straps to connect them. Loop the straps around the X-Rods on the front and back of each frame and secure tightly to secure frames. Reference image above for velcro strap