



PRODUCT DESCRIPTION

Modco[®] Modular Display 29 is a three-dimensional predesigned backwall exhibit booth, ideal for a peninsula booth space. Stylish and lively, this booth is built using tool-free perforated modular aluminum frames along with rounded corners. Multiple size frames connect using tool-less pin connectors.

DISPLAY DIMENSIONS	234"W X 107"H X 96"D	
GRAPHIC SIZES	SIZE	QTY
	12.12"W x 39.25"H	2
	235.25 x 96.25"H	2
	39"W x 96.25"H	4
	TOTAL	8

GRAPHIC MATERIAL

Stretch Fabric w/ Integrated Block Out

GRAPHIC FINISHING

Silicone beading is sewn around the perimeter of the fabric graphic. Silicone beading is hidden from view once installed.

DISPLAY CONSTRUCTION

Aluminum frame and components

SHIPPING WEIGHTS & DIMENSIONS (FREIGHT ONLY)

Shipping Weight 332lbs w/ pallet


Shipping Dimensions 96"L x 40"W x 23"H


GRAPHIC TURN AROUND TIME

4 business days after proof approval

AVAILABILITY PFC / PA









PARTS REFERENCE



MOD-CLA-CON

Qty.12



MOD-90D-CON Qty.3





Qty.2



MOD-FRM-992x2418 Qty.8



MOD-PC Qty.39



MOD-T90DCON Qty.1

MOD-FRM-310x992 Qty.1

MOD-SF180D

Qty.2


MOD-CC Qty.22

MOD-CP-992x2418 Qty.6






INSTRUCTIONS





INSTRUCTIONS





GRAPHIC REFERENCES



Place graphic over the front of the frame.



Begin inserting SBG beading at each corner.



Insert the silicone beading with the fabric folded over the alloone beading should not be exposed.



Using your fingers, push both fabric and silicone beading completely into the extrusions channel.



Continue to push in the remaining siftcome beacing on each side.



Check the perimeter of the frame for any excess beading that have't lower pushed in. Graphic should be taut.

