SEGO CONFIGURATION K

SEGO MODULAR LIGHTBOX DISPLAY

PRODUCT CODE:SEGO-K-10x10G

















PRODUCT DESCRIPTION

The advanced technology of the new SEGO modular lightbox system combines innovation with intuition. Toolless down to its feet, SEGO is designed to help heighten your display experience. Magnetic electrical connectors light up the UL certified LED lights that come pre-installed in the profiles. Electrical wires stay hidden from view. Edge-to-edge customizable SEG backlit fabric graphics cover the front and back of the aluminum frame. Portable, configurable, desirable, SEGO is a lightbox unlike the others. SEGO is so well thought out, even its durable foam cut carry bag is made distinctly to keep all parts and pieces protected and organized. SEGO Configuration K is a set of 4 frames, counter, and 3 styles of SEGO connectors allowing for different configurations utilizing the same frames.

	DISPLAY DIMENSIONS	236.25"W x 88.25"H x 43.75"D
	GRAPHIC SIZE (100X225)	39.625"W x 88.625"H (each frame)
	GRAPHIC SIZE (COUNTER)	39.625"W x 39.75"H

GRAPHIC MATERIAL

Dye Sub Backlit Fabric

GRAPHIC FINISHING

Silicone beading sewn onto edge of graphic

DISPLAY CONSTRUCTION

Aluminum extrusion frame with plastic components

SHIPPING WEIGHTS & DIMENSIONS		
Shipping Weight (100x225) 4 boxes total	30 lbs (frame only) 32 lbs (frame & graphic)	
Shipping Weight (counter)	28.5 lbs (frame only) 30.5 lbs (frame & graphic)	

GRAPHIC TURN AROUND TIME

2 business days after proof approval (up to 2 cofigurations)

AVAILABILITY CA


LED LIGHT SPECIFICATION		LUMENS (EACH FRAME)	
BRAND	Osram	VOLTAGE (V)	24
POWER	3W	POWER (W)	90
CCT (COLOR TEMP)	6800k	LM/W	130
AVERAGE BEAM ANGEL	20 °	TOTAL LM	11700
LM/W	130	AVG LM	5850
AVG LM/M ²	4800-5800	CU	.8
VOLTAGE INPUT	24V	EAV	4680
TRANSFORMER SPECIFICATION			
POWER RATE 2	95W, 252W		
TRANSFORMERS			
CERTIFICATES	UL, CE, GEM		
VOLTAGE INPUT	100-240V		



VOLTAGE OUTPUT 24V



PARTS LIST



SEGO Configuration K Layout 1* TEMPLATE GUIDE

*Please note which layout you'll be using during file upload



Frame	Template Dims	Notes
Α	39.75" x 88.625"	Obstruction on front graphic
В	39.75" x 88.625"	-
С	39.75" x 88.625"	Bridge
D	39.75" x 88.625"	Obstruction on back graphic
E	39.62" x 39.75"	Counter

SEGO Configuration K Layout 2* TEMPLATE GUIDE

*Please note which layout you'll be using during file upload



Frame	Template Dims	Notes
Α	39.75" x 88.625"	Obstruction on front graphic
В	39.75" x 88.625"	-
С	39.75" x 88.625"	Bridge
D	39.75" x 88.625"	Obstruction on back graphic
E	39.62" x 39.75"	Counter

SEGO Configuration K Layout 3* TEMPLATE GUIDE


*Please note which layout you'll be using during file upload




Frame	Template Dims	Notes
Α	39.75" x 88.625"	Obstruction on front graphic
В	39.75" x 88.625"	-
С	39.75" x 88.625"	Bridge
D	39.75" x 88.625"	Obstruction on back graphic
E	39.62" x 39.75"	Counter

SET UP INSTRUCTIONS


SEGO 100X225 FRAME ASSEMBLY







SEGO CONFIGURATION K SEGO MODULAR LIGHTBOX DISPLAY PRODUCT CODE:SEGO-K-10x10G













SET UP INSTRUCTIONS


COUNTER ASSEMBLY













FRAME CONNECTION





SEGO CONFIGURATION K SEGO MODULAR LIGHTBOX DISPLAY PRODUCT CODE:SEGO-K-10x10G

