

FOUNDATION

OUTDOOR BANNER STAND

PRODUCT CODE: FD



On frame On graphic



PRODUCT DESCRIPTION

Sturdy and lightweight aluminum frame for outdoor display banners easily mount to both sides of the frame with bungee cords with hooks.

DISPLAY DIMENSION	42" L x 81.5" W x 37" H
GRAPHIC DIMENSIONS	77.5" W x 38" H

GRAPHIC MATERIAL

Scrim Vinyl

GRAPHIC FINISHING

1" hem around perimeter with grommets

DISPLAY CONSTRUCTION

Aluminum Frame

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	14 lbs (frame only) 16 lbs (with graphic)
Shipping Dimensions	44" H x 9" W x 6" D

LARGE QUANTITY FREIGHT

Freight Shipping	52 boxes per 48" L x 40" W x 71" H skids
Freight Weight	728 lbs (frame only) 832 lbs (frame & graphic)

GRAPHIC TURN AROUND TIME

2 business days after proof approval

AVAILABLE ACCESSORIES

Sand Bag Cover

AVAILABILITY	CA and PA
WIND RATING	20 mph



Nylon Carry Bag



Sand Bag Cover

PARTS LIST



Qty 2 - 3-Piece Triangular Section



Qty 6 - 19.75" Tubes



Qty 3 - 39.25" Tubes



Qty 2 - Support Bars



Qty 28 - Bungee Cord w/ Hook



Qty 1 - Nylon Carry Bag

REQUIRED TOOLS



Phillips Screwdriver*



Remove screw.



Then align holes by re-inserting screw and tighten.

SET UP INSTRUCTIONS

Step 1

Remove all pieces from the box or case.



Step 2

Locate both 3-piece triangular sections.



Step 3

Remove the inserted screw from one end. Attach the ends of the triangular section and follow up by re-inserting the screw and tightening.



Step 4

Match up and attach corresponding pieces according to the shape on the decal at each end of the pieces.



Step 5

Make sure the hole located in the middle on the top horizontal bar is facing directly down.



Step 6

Support the frame with the horizontal middle connector by snapping them into place with the holes that are facing each other.



Step 7

Support the frame with the vertical middle connector by snapping it into place with the horizontal bar. The graphic is ready to be installed.



Step 8

Install the graphic by looping bungees over the frame and placing the hook onto each grommet.

