Modulate:
Modulate Door - Right (double sided)

Total Graphic Area: 52”w X 99.875”h
Total Visual Area: 48”w X 95.875”h

Please be sure to include the 2” bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 2” of the edge.

General Art Guidelines:

– CMYK Color Mode

– All Solid Coated Pantone colors should be called out in the art as spot colors

– Embed all images and support files

– Resolution must be 100-120 ppi

– All fonts must be created to outlines

– Do not scale artboard

– Background color/images must bleed to the edge of artboard

– Do not use spot colors from template in your artwork as they will not print

DOOR - WILL OPEN FROM RIGHT SIDE

OUTSIDE

bleed area
trim line
safe zone

INSIDE

bleed area
trim line
safe zone

Modulate:
Modulate Door - Right (double sided)

Total Graphic Area: 52"w X 99.875"h
Total Visual Area: 48"w X 95.875"h

Please be sure to include the 2" bleed around the perimeter (note trim & stitch locations on template). DO NOT design any critical elements (text, logos, etc.) within 2" of the edge.

General Art Guidelines:

– CMYK Color Mode

– All Solid Coated Pantone colors should be called out in the art as spot colors

– Embed all images and support files

– Resolution must be 100-120 ppi

– All fonts must be created to outlines

– Do not scale artboard

– Background color/images must bleed to the edge of artboard

– Do not use spot colors from template in your artwork as they will not print

OUTSIDE

bleed area
trim line
safe zone

INSIDE

bleed area
trim line
safe zone