panel is notched on bottom left

Hercules 12 10' x 20' Truss System Dye Sub Printed

TEMPLATE IS @ 1/2 SCALE
Panel HC12-1 and HC12-4:

Total Graphic Area: 29.75"w x 87.75"h Finished Size: 25.75"w x 83.75"h

Panel HC12-2 and HC12-3: Total Graphic Area: 77.75"w x 87.75"h Finished Size: 73.75"w x 83.75"h

Template requires 1" bleed around the perimeter (2" around the perimeter wher scaled to 200% and printed)

FS = Graphic is front side mounted (3/4" w velcro is applied to the back of the panel)
BS = Graphic is back side mounted (3/4" w velcro is applied to the front of the panel)
Notching = 7/8" square that is cut into the appropriate location.
Hinging= 3/4" strip of material that is created by notching the graphic. Allows two graphics to share the same extrusion corner.

General Art Guidelines:

– CMYK Color Mode

- All Solid Coated Pantone colors should be called out in the art as spot colors
 Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120ppi @ 100% size
 All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

BS OR-G-HC12-2

panel is notched on bottom right

bleed areatrim line

OR-G-HC12-4

panel is notched
on bottom
right

BS OR-G-HC12-3

panel is notche on bottom left

gray area was be obstructed once finished and mounted

panel is notched on bottom left

- bleed area
- trim line

Hercules 12 10' x 20' Truss System Dye Sub Printed

TEMPLATE IS @ 1/2 SCALE

Panel HC12-1 and HC12-4:

Total Graphic Area: 29.75"w x 87.75"h Finished Size: 25.75"w x 83.75"h

Panel HC12-2 and HC12-3:

Total Graphic Area: 77.75"w x 87.75"h Finished Size: 73.75"w x 83.75"h

Template requires 1" bleed around the perimeter (2" around the perimeter when scaled to 200% and printed)

FS = Graphic is front side mounted (3/4" w velcro is applied to the back of the panel)

BS = Graphic is back side mounted (3/4" w velcro is applied to the front of the panel)

Notching = 7/8" square that is cut into the appropriate location.


Hinging= 3/4" strip of material that is created by notching the graphic. Allows two graphics to share the same extrusion corner.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @
 1/2 size, 100-120ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

BS OR-G-HC12-2

panel is notched on bottom right



panel is notched on bottom left

panel is notched on bottom right

gray area will be obstructed once finished and mounted